

# REQUEST FOR QUOTE / ORDERING INFORMATION

Rep Name \_\_\_\_\_  
 Customer \_\_\_\_\_

Salesman \_\_\_\_\_  
 Customer Contact \_\_\_\_\_

## 1 APPLICATION DATA

Process Fluid \_\_\_\_\_  
 % Concentration \_\_\_\_\_  
 Specific Gravity ( at Operating Temp ) \_\_\_\_\_  
 Interface Specific Gravity \_\_\_\_\_ / \_\_\_\_\_  
 Pressure Design / Operating \_\_\_\_\_ / \_\_\_\_\_  
 Temp Design / Operating \_\_\_\_\_ / \_\_\_\_\_

## 2 FABRICATION DATA

Chamber Material \_\_\_\_\_  
 Process Connection Material \_\_\_\_\_  
 Vent / Drain Connection Material \_\_\_\_\_  
 Process Connection Size \_\_\_\_\_ Rating \_\_\_\_\_  
 Flange \_\_\_\_\_ / \_\_\_\_\_  
 Coupling \_\_\_\_\_ / \_\_\_\_\_  
 Nipple \_\_\_\_\_ / \_\_\_\_\_  
 Gussets  Yes Support Bracket  Yes  
 Vent / Drain Valves (Ball, Gate, Plug, and Mfg) \_\_\_\_\_  
 \_\_\_\_\_

## 3 INDICATION DATA

Inches of Visual Indication \_\_\_\_\_  
 Inches of Center to Center \_\_\_\_\_  
 Indicator : Standard  Flashing   
 \_\_\_\_\_   
 Special Scale ( Describe : Provide Drawing )  
 \_\_\_\_\_  
 \_\_\_\_\_  
 Glass Tube Protector: Yes

## 4 INSULATION

Blanket  Cryogenic   
 Indicator Non-Frosting Protection :  
 Steam  Electric

## 5 HEAT TRACING

Steam  Electric   
 Reason for Heat Tracing:  
 Freeze Protection   
 Maintaining Process Temperature

## 6 SWITCHES

Electrical \_\_\_\_\_ Part # \_\_\_\_\_  
 ES-21   
 ES-30EX   
 ES-40   
 Hazardous Classification \_\_\_\_\_

Pneumatic \_\_\_\_\_ Block / Bleed \_\_\_\_\_  
 AS-35  Rising Level   
 AS-50  Falling Level   
 Supply Gas \_\_\_\_\_

Clamp Mount  Rod Mount  Pad Mount (above 200 deg F)

## 7 OTHER OPTIONS

CLT (Remote Transmitter) \_\_\_\_\_  
 Controllers \_\_\_\_\_  
 Indicators \_\_\_\_\_

Provide Sketch

### Questions and / or Notations

- ( 1 ) Are there any obstructions that will limit our dimensions on this PM-26 ?
- ( 2 ) Orientation of Scale Kit ?
- ( 3 ) Orientation of Process Connections ?
- ( 4 ) Will you have enough clearance to remove the float from the bottom of the PM-26 Chamber ? Note: Lower Specific Gravities may require a longer dead leg.

Part # **PM26-** \_\_\_\_\_

Refer to pages 12, 13, 14, and 15 to determine correct part number.